



F-920

Check It! Gas Analyzer

The F-920 Check It! Gas Analyzer is a handheld device that measures headspace gas rapidly and reliably. Perfect for use in Modified Atmosphere Packaging (MAP) applications, quality control managers can easily take measurements with the F-920 straight out of the box, with little to no training. The lightweight, handheld package enables the user to take measurements virtually anywhere in the supply chain from the packing house to the retail shelf. The built-in data logger stores thousands of data points and conveniently communicates data through USB or Bluetooth onto a PC or tablet for later analysis.

CO₂

O₂

Product Features

- ▶ Measures CO₂ and O₂ from 0-100%
- ▶ Displays results in under 6 seconds
- ▶ Previous records available for review on device
- ▶ Handheld and lightweight
- ▶ Battery lasts for 8+ hours
- ▶ Display easily viewed in dimly lit environment
- ▶ Functional across broad temperature and humidity range
- ▶ Bluetooth enabled for rapid data transfer
- ▶ Wi-Fi capabilities

Applications

- ▶ Modified Atmosphere Packaging quality assurance in:
 - Packing lines
 - Laboratories
 - Import/export surveys
 - Distribution centers
 - Retail centers
- ▶ Ambient measurements
- ▶ Inspection of:
 - Storage facilities
 - Ripening rooms
 - Shipping containers

F-920 Specifications

Sampling flow rate	70mL / min	Operating environment	0° C - 50° C
Total Sampling Time	10 seconds	Weight	0.95 kg
Data saving	Automated (1 sec)	Enclosure	Powder coated aluminum
Display	Sunlight Visible LCD	Power source	Rechargeable Battery (Li-ION)
Dimensions	18 cm x 13.5 cm x 5.5 cm	PC interface	USB, WIFI, SD card, Bluetooth
Battery Life	8.5 hours	Operating Pressure	500-1200mbar
Data recorded	CO2, O2 concentrations, date, time, RH, GPS location		

Headspace Sampling

	CO ₂	O ₂
Sensor Type:	Infrared Sensor, Pyroelectric detector	Electrochemical
Range:	0-100%	0-100%
Resolution:	0.01%	0.10%
Lower Detection Limit:	0.50%	0.30%
Sampling Volume:	10 ml	10 ml
Response Time:	10 seconds	10 seconds
Accuracy (absolute):	0.50%	0.30%
Accuracy (relative):	3%	2%
Offset Calibration:	Weekly	Weekly
Span Calibration:	12 months	6 months
User Replaceable Sensor:	no	yes
Lifetime:	5 years	2 years

Continuous Sampling

	CO ₂	O ₂
Sensor Type:	Infrared Sensor, Pyroelectric detector	Electrochemical
Range:	0-100%	0-100%
Resolution:	0.01%	0.10%
Lower Detection Limit:	0.1%	0.01%
Response Time:	10 seconds	5 seconds
Accuracy (absolute):	0.10%	0.01%
Accuracy (relative):	3%	2%
Offset Calibration:	Weekly	Weekly
Span Calibration:	12 months	6 months
User Replaceable Sensor:	no	yes
Lifetime:	5 years	2 years

F-920 'Check It!' Gas Analyzer in action



Designed for QA personnel to take precise and speedy measurements of CO₂ and O₂, the Check It! displays results in less than 6 seconds and has a sampling volume of 6.5 mL.